



YÜKSELİŞ
ASANSÖR

ULTRA
KONFOR
EKSTRA
GÜVEN

ULTRA COMFORT
EXTRA CONFIDENCE

www.yukselisasansor.com.tr

HAKKIMIZDA / ABOUT US

Ultra Konfor Ekstra Güven!

1980 yılından bugüne asansör tasarım, üretim ve pazarlama faaliyetlerini yürütmekte olan Yükseliş Asansör, üstün kalite anlayışı ile üretmiş olduğu ürünleri, Dünya'nın 63 ülkesi ile buluşturmaktadır. 27.000 m² kapalı alan, 23.000 m² açık alana sahip üretim tesisi, yüksek teknolojik makine parkuru, 210 kişilik uzman kadrosu, kaliteden asla ödün vermeden yapmış olduğu üretim ve içerisinde dünya devi firmaların da bulunduğu referansları ile asansör sektöründe saygın firmalar arasında yerini almaktadır.

Asansör kabinleri, asansör kapıları, asansör butonları, paket asansör ve tüm asansör aksesuarlarını kapsayan ürün yelpazemiz ile çözüm ortaklarımızın ihtisamlı projelerinde ilk tercih oluyoruz.

Üretim birimimiz ile daima entegre olarak çalışan Ar-Ge birimimiz ile çözüm ortağı olduğumuz müşterilerimizin standardın dışına çıkan ihtiyaçlarını yenilikçi tasarımlarımız ile karşılıyoruz. Sağlamış olduğumuz bu esneklik sayesinde teknoloji ile birlikte şekillendirdiğimiz ürünler, geleceğe bir adım daha yaklaştığımızın göstergesidir.

Bizi çözüm ortağı olarak seçen Almanya, İngiltere, Rusya, Azerbaycan, İsveç, Gürcistan, Irak, Tunus ve BAE gibi ülkelerin saygın firmalarına başarılı operasyonlarımızı sürdürüyor, kurulduğumuz günden beri önemseydiğimiz dürüstlük, kalite politikamız ve sürekli gelişim anlayışımız ile yolumuza büyüyerek emin adımlarla devam ediyoruz.

Misyonumuz

Yükseliş Asansör firması olarak edindiğimiz misyon, düşük maliyet uğruna kaliteden ödün vermeden ürettiğimiz ürünleri, son teknolojiyi takip edip geliştirerek çözüm ortağı olduğumuz müşterileri ultra konfor ve ekstra güven ile buluşturmak.

Vizyonumuz

Yükseliş Asansör firması olarak hedeflediğimiz vizyon, üretim kapasitemizi ve Ar-Ge yatırımlarımızı arttırmak, yeni teknolojileri kullanarak tasarladığımız ürünleri geliştirerek geleceğe yön vermek, "Yükseliş" markasını adına yakışır bir biçimde yükselterek globalleşen dünyada ulaşabildiğimiz ülke sayısını arttırmak.

Ultra Comfort Extra Confidence!

Since 1980, Yükseliş Elevator has been carrying on elevator design, manufacturing and marketing activities with a sense of quality, and export its products to World's 63 countries.

Yükseliş Elevator is one of the most reputable company with other leading companies of the World, with an area of 27000m² closed, 23000m² open plant, high technological machinery park, expert staff of 210 persons and always keeping up quality of manufacturing.

We are the first choice of our solution partners in their prestigious projects with our wide range of products including elevator cabins, elevator doors, car operating panels (COP), landing operating panels (LOP), complete package elevators and all elevator spare parts.

We are also producing customized products for our clients by force of our R&D and Production departments which of the products always working integrately. Thanks to this flexibility of manufacturing and the products that we shape with technology is showing us we are a step closer to the future.

We continue our successful operations to reputable countries such as Germany, England, Russia, Azerbaijan, Sweden, Georgia, Iraq, Tunisia and UAE who have chosen us as solution partners. We continue down the road and increasing day to day, with confidence, honesty, quality policies and continuous improvement activities.

Our Mission

Our mission is manufacturing products with keeping up quality and combine with the latest technology, meeting customers needs with ultra comfort and extra confidence.

Our Vision

Our vision is to increase our production capacity and R&D investments, to design the future with improving products by using technology and to increase the number of our exports.


Kabin Fabrikası
Cabin Factory



Motor Fabrikası
Motor Factory



ARGE
R&D



Showroom



Asansör Market
Liftgross



Kapı Fabrikası
Door Factory



Satış Ofisi
Sales Office



Depolama Alanı
Warehouse



Konferans Salonu
Conference Hall



Kabinler

Cars



BELUGA

Özellikler / Specs

Kabin Duvarları : Ral 7040 Boyalı Cam & Satine Paslanmaz

Giriş Duvarları : Satine Paslanmaz

Arka Duvar : Füme Ayna

Taban : Silver Waves Granit

Aydınlatma : Kare Spot (Gün Işığı)

Tavan : Decoplate GS-05

Küpeşte : Ø38 Parlak Satine Paslanmaz Boru

Süpürgelik : Paslanmaz Çelik

Opsiyonel : -

Car Walls : Ral 7040 Powder Painted Glass & Hairline Stainless Steel

Entrance Walls : Hairline Stainless Steel

Rear Wall : Smoke Colored Mirror

Floor : Silver Waves Granite

Lighting : Square Spot (Daylight)

Ceiling : Decoplate GS-05

Handrail : Ø38 Polished Stainless Steel Pipe

Skirting : Hairline Stainless Steel

Optional : -

LİTRİNOS

Özellikler / Specs

Kabin Duvarları : Satine Paslanmaz, Mirror Ti-Black, Decoplate NP08

Giriş Duvarları : Satine Paslanmaz

Arka Duvar : Satine Paslanmaz, Mirror Ti-Black, Decoplate NP08

Taban : Star Galaxy Granit

Aydınlatma : Led Gi-Spot

Tavan : Satine Paslanmaz, Mirror Ti-Black, Decoplate NP08

Küpeşte : Satine Paslanmaz

Süpürgelik : Satine Paslanmaz

Opsiyonel : Küpeşte İçi, Tavan, Taban Ve Arka Duvar İçin Gizli Led Paketi

Car Walls : Stainless Steel, Mirror Ti-Black, Decoplate NP08

Entrance Walls : Stainless Steel

Rear Wall : Stainless Steel, Mirror Ti-Black, Decoplate NP08

Floor : Star Galaxy Granite

Lighting : Led Gi-Spot

Ceiling : Stainless Steel, Mirror Ti-Black, Decoplate NP08

Handrail : Stainless Steel, Mirror Ti-Black

Skirting : Stainless Steel

Optional : Hidden Led Package For Handrail, Ceiling, Floor And Rear Wall



BARACUDA

Özellikler / Specs

Kabin Duvarları	: Satine Paslanmaz, 4 mm Füme Ayna
Giriş Duvarları	: Satine Paslanmaz
Arka Duvar	: PVC Kaplı Çelik & Paslanmaz Çelik, Özel Kesim Decoplate NP08 & HG08
Taban	: Green Butterfly Granit
Aydınlatma	: Gi-Kare Led Spot
Tavan	: Satine Paslanmaz, Özel Kesim Decoplate HG08 & NP08
Küpeşte	: Ø38 Parlak Satine Paslanmaz Boru
Süpürgelik	: Satine Paslanmaz
Opsiyonel	: Arka Duvar Ve Tavanda Gizli Led Aydınlatma

Car Walls	: Hairline Stainless Steel , 4 mm Smoked Mirror
Entrance Walls	: Hairline Stainless Steel
Rear Wall	: Steel With PVC Cover, Hairline Stainless Steel, Special Cut Decoplate NP08 & HG08
Floor	: Green Butterfly Granite
Lighting	: Gi-Square Led Spot
Ceiling	: Hairline Stainless Steel, Special Cut Decoplate HG08, & NP08
Handrail	: Ø38 Polished Stainless Steel Pipe
Skirting	: Hairline Stainless Steel
Optional	: Hidden Led Light At Rear Wall And Ceiling

ÇAMUKA

Özellikler / Specs

Kabin Duvarları	: Ayna Paslanmaz, 4277 Laminant Ahşap
Giriş Duvarları	: Ayna Paslanmaz
Arka Duvar	: 5099 Laminant Ahşap
Taban	: Rosa Beta Granit
Aydınlatma	: YKS Led
Tavan	: Ayna Paslanmaz, 5099 Laminant Ahşap
Küpeşte	: Ø38 Parlak Satine Paslanmaz Boru
Süpürgelik	: Ayna Paslanmaz
Opsiyonel	: Tabanda, Tavanda, Buton Karşılığı Arkası, Buton Arkası Ve Arka Duvar Ayna Çizimlerinde Gizli Led Aydınlatma

Car Walls	: Mirror Stainless Steel, 4277 Laminated Wood
Entrance Walls	: Mirror Stainless Steel
Rear Wall	: 5099 Laminated Wood
Floor	: Rosa Beta Granite
Lighting	: YKS Led
Ceiling	: Mirror Stainless Steel, 5099 Laminated Wood
Handrail	: Ø38 Polished Stainless Steel Pipe
Skirting	: Mirror Stainless Steel
Optional	: Hidden Led Lighting In Floor, Ceiling, COP Opposite, COP Behind And Rear Wall Mirror Rims



JAVA

Özellikler / Specs

Kabin Duvarları : Bronz Ayna Paslanmaz, Esnek Taş

Giriş Duvarları : Bronz Ayna Paslanmaz

Arka Duvar : Bronz Ayna Paslanmaz, Bronz Ayna

Taban : Tundra Grey Çimstone

Aydınlatma : Spot (Gün Işığı)

Tavan : Bronz Ayna Paslanmaz

Küpeşte : Ø38 Parlak Bronz Renk Boru

Süpürgelik : Bronz Ayna Paslanmaz

Opsiyonel : -

Car Walls : Mirror Ti-Bronze Stainless Steel, Flexible Stone

Entrance Walls : Mirror Ti-Bronze Stainless Steel

Rear Wall : Mirror Ti-Bronze Stainless Steel, Bronze Mirror

Floor : Tundra Grey Çimstone

Lighting : Spot (Daylight)

Ceiling : Mirror Ti-Bronze Stainless Steel

Handrail : Ø38 Polished Bronze Stainless Steel Pipe

Skirting : Mirror Ti-Bronze Stainless Steel

Optional : -

OPAH

Özellikler / Specs

Kabin Duvarları : Bakır Ayna Paslanmaz, Desenli Lazer Kesimi, Gün Işığı Aydınlatmalı

Giriş Duvarları : Bakır Ayna Paslanmaz

Arka Duvar : Bakır Ayna Paslanmaz, Bronz Ayna

Taban : Green Butterfly Granit

Aydınlatma : Gün Işığı

Tavan : Bakır Ayna Paslanmaz, Desenli Lazer Kesimi

Küpeşte : Ø32 Bronz Parlak Boru

Süpürgelik : Bakır Ayna Paslanmaz

Opsiyonel : -

Car Walls : Copper Mirror Stainless Steel, Patterned Laser Cut With Daylight Lighting

Entrance Walls : Copper Mirror Stainless Steel

Rear Wall : Copper Mirror Stainless Steel, Bronze Mirror

Floor : Green Butterfly Granite



Lighting : Daylight

Ceiling : Copper Mirror Stainless Steel, Patterned Laser Cut

Handrail : Ø32 Bronz Polished Pipe

Skirting : Copper Mirror Stainless Steel

Optional : -



HAMSi

Özellikler / Specs

Kabin Duvarları : ESB Çelik Ral9005, Decoplate GS-05

Giriş Duvarları : ESB Çelik Ral9005, Decoplate GS-05

Arka Duvar : Ayna, ESB Çelik Ral9005

Taban : Aksaray Yaylak Granit

Aydınlatma : YKS Led

Tavan : ESB Çelik, Ral9005

Küpeşte : Ø32 ESB Çelik Boru, Ral9005

Süpürgelik : ESB Çelik, Ral9005

Opsiyonel : -

Car Walls : Powder Painted Steel Ral9005, Decoplate GS-05

Entrance Walls : Powder Painted Steel Ral9005, Decoplate GS-05

Rear Wall : Mirror, Powder Painted Steel Ral9005

Floor : Aksaray Yaylak Granite

Lighting : YKS Led

Ceiling : Powder Painted Steel, Ral9005

Handrail : Ø32 Powder Painted Steel Pipe, Ral9005

Skirting : Powder Painted Steel, Ral9005

Optional : -

KOLYOZ-S

Özellikler / Specs

Kabin Duvarları : Satine Paslanmaz

Giriş Duvarları : Satine Paslanmaz

Arka Duvar : Satine Paslanmaz

Taban : PVC-YF-01

Aydınlatma : YKS Led C-122

Tavan : Satine Paslanmaz

Küpeşte : Ø38 Parlak Satine Paslanmaz Boru

Süpürgelik : Satine Paslanmaz

Opsiyonel : Koltuk, Amortisörlü Kendinden Toplama Yapabilen

Car Walls : Hairline Stainless Steel

Entrance Walls : Hairline Stainless Steel

Rear Wall : Hairline Stainless Steel

Floor : PVC-YF-01


Lighting : YKS Led C-122

Ceiling : Hairline Stainless Steel

Handrail : Ø38 Polished Stainless Steel Pipe

Skirting : Hairline Stainless Steel

Optional : Hydraulic Seat



RİNA

Özellikler / Specs

Kabin Duvarları	: Mavi Ayna Paslanmaz
Giriş Duvarları	: Mavi Ayna Paslanmaz
Arka Duvar	: UV Baskı Cam, Mavi Ayna Paslanmaz
Taban	: Rosa Beta Granit
Aydınlatma	: YKS Led
Tavan	: Ayna Paslanmaz
Küpeşte	: Ø38 Parlak Satine Paslanmaz Boru
Süpürgelik	: Mavi Ayna Paslanmaz
Opsiyonel	: -

Car Walls	: Mirror Ti-Blue
Entrance Walls	: Mirror Ti-Blue
Rear Wall	: UV Print Glass, Mirror Ti-Blue
Floor	: Rosa Beta Granite
Lighting	: YKS Led
Ceiling	: Mirror Stainless Steel
Handrail	: Ø38 Polished Stainless Steel Pipe
Skirting	: Mirror Ti-Blue
Optional	: -

LAGOS

Özellikler / Specs

Kabin Duvarları	: Satine Paslanmaz, Bombe Formlu, Ayna Paslanmaz Ara Çıta
Giriş Duvarları	: Satine Paslanmaz
Arka Duvar	: Satine Paslanmaz
Taban	: Star Galaxy Granit
Aydınlatma	: YKS Led
Tavan	: Satine Paslanmaz, C-112
Küpeşte	: Ø38 Parlak Satine Paslanmaz Boru
Süpürgelik	: Ayna Paslanmaz
Opsiyonel	: -

Car Walls	: Stainless Steel, Round Shaped, Mirror Stainless Steel Accessories
Entrance Walls	: Hairline Stainless Steel
Rear Wall	: Hairline Stainless Steel
Floor	: Star Galaxy Granite
Lighting	: YKS Led
Ceiling	: Stainless Steel, C-112
Handrail	: Ø38 Polished Stainless Steel Pipe
Skirting	: Mirror Stainless Steel
Optional	: -



SUDAK

Özellikler / Specs

Kabin Duvarları	: NP-12 (Ceviz Rengi) & OD 19 Decoplate
Giriş Duvarları	: NP-12 (Ceviz Rengi) & OD 19 Decoplate
Arka Duvar	: NP-12 (Ceviz Rengi) & OD 19 Decoplate
Taban	: Tundra Grey Çimstone
Aydınlatma	: Spot (Gün Işığı)
Tavan	: NP-12(Ceviz Rengi) & OD 19 Decoplate, Özel Tel Tasarı
Küpeşte	: NP-12(Ceviz Rengi) & OD 19 Decoplate, Kare Şekli
Süpürgelik	: NP-12(Ceviz Rengi) & OD 19 Decoplate
Opsiyonel	: Süpürgelikte Gizli Aydınlatma

Car Walls	: NP-12 (Walnut) & OD 19 Decoplate
Entrance Walls	: NP-12 (Walnut) & OD 19 Decoplate
Rear Wall	: NP-12 (Walnut) & OD 19 Decoplate
Floor	: Tundra Grey Cimstone
Lighting	: Spot (Daylight)
Ceiling	: NP-12 (Walnut) & OD 19 Decoplate, Special Wire Design
Handrail	: NP-12 (Walnut) & OD 19 Decoplate, Square Shape
Skirting	: NP-12 (Walnut) & OD 19 Decoplate
Optional	: Hidden Lighting On Skirting

ORFOZ

Özellikler / Specs

Kabin Duvarları	: BA25 Nokta Desen, Ayna Paslanmaz
Giriş Duvarları	: Satine Paslanmaz, Ayna Paslanmaz
Arka Duvar	: BA25 Nokta Desen, Ayna Paslanmaz
Taban	: Rosa Beta Granit
Aydınlatma	: Yks Led & Led Spot
Tavan	: Ayna Paslanmaz
Küpeşte	: Satine Paslanmaz, Ø38 Özel Formlu Boru
Süpürgelik	: Ayna Paslanmaz
Opsiyonel	: -

Car Walls	: BA25 Linen, Mirror Stainless Steel
Entrance Walls	: Stainless Steel, Mirror Stainless Steel
Rear Wall	: BA25 Linen, Mirror Stainless Steel
Floor	: Rosa Beta Granite
Lighting	: Yks Led & Led Spot
Ceiling	: Mirror Stainless Steel
Handrail	: Stainless Steel, Ø38 Polished Special Design Pipe
Skirting	: Mirror Stainless Steel
Optional	: -



İSPENDEK

Özellikler / Specs

Kabin Duvarları : Ayna Paslanmaz, Boyalı Cam Ral6027

Giriş Duvarları : Ayna Paslanmaz

Arka Duvar : Ayna Paslanmaz Boyalı Cam Ral6027

Taban : Blue Pearl Granit

Aydınlatma : YKS Led

Tavan : Ayna Paslanmaz C-105

Küpeşte : Ø38 Parlak Satine Paslanmaz Boru, 3 Duvarda

Süpürgelik : Ayna Paslanmaz

Opsiyonel : -

Car Walls : Mirror Stainless Steel, Painted Glass Ral6027

Entrance Walls : Mirror Stainless Steel

Rear Wall : Mirror Stainless Steel, Painted Glass Ral6027

Floor : Blue Pearl Granite

Lighting : Yks Led

Ceiling : Mirror Stainless Steel C-105

Handrail : Ø38 Polished Stainless Steel Pipe On 3 Sides

Skirting : Mirror Stainless Steel

Optional : -

MORİNA FR

Özellikler / Specs

Kabin Duvarları : Satine Paslanmaz, Decoplate HG-08

Giriş Duvarları : Satine Paslanmaz

Arka Duvar : Satine Paslanmaz

Taban : Star Galaxy Granit

Aydınlatma : YKS Led

Tavan : Satine Paslanmaz

Küpeşte : Ø38 Parlak Satine Paslanmaz Boru

Süpürgelik : Satine Paslanmaz

Opsiyonel : -

Car Walls : Hairline Stainless Steel, Decoplate HG-08

Entrance Walls : Hairline Stainless Steel

Rear Wall : Hairline Stainless Steel

Floor : Star Galaxy Granite


Lighting : YKS Led

Ceiling : Hairline Stainless Steel

Handrail : Ø38 Polished Stainless Steel Pipe

Skirting : Hairline Stainless Steel

Optional : -



EMPEROR

Özellikler / Specs

Kabin Duvarları : Decoplate NP-08 & Ayna Paslanmaz

Giriş Duvarları : Satine Paslanmaz

Arka Duvar : Decoplate NP-08 & Ayna Paslanmaz

Taban : Bianco Carrara Mermer

Aydınlatma : YKS I Led

Tavan : Satine Paslanmaz

Küpeşte : 20*40 Decoplate NP-08 Kare

Süpürgelik : Ayna Paslanmaz

Opsiyonel : -

Car Walls : Decoplate NP-08 & Mirror Stainless Steel

Entrance Walls : Hairline Stainless Steel

Rear Wall : Decoplate NP-08 & Mirror Stainless Steel

Floor : Bianco Carrara Marble

Lighting : YKS I Led

Ceiling : Hairline Stainless Steel

Handrail : 20*40 Decoplate NP-08 Square

Skirting : Mirror Stainless Steel

Optional : -

TUVAL FR

Özellikler / Specs

Kabin Duvarları : Satine Paslanmaz, Decoplate HG17

Giriş Duvarları : Satine Paslanmaz

Arka Duvar : Satine Paslanmaz, Decoplate HG17

Taban : Star Galaxy Granit

Aydınlatma : YKS Led

Tavan : Satine Paslanmaz, C-116

Küpeşte : Ø38 Parlak Satine Paslanmaz Boru

Süpürgelik : Satine Paslanmaz

Opsiyonel : -

Car Walls : Hairline Stainless Steel, Decoplate HG17

Entrance Walls : Hairline Stainless Steel

Rear Wall : Hairline Stainless Steel, Decoplate HG17

Floor : Star Galaxy Granite

Lighting : YKS Led

Ceiling : Hairline Stainless Steel, C-116

Handrail : Ø38 Polished Stainless Steel Pipe

Skirting : Hairline Stainless Steel

Optional : -

SCARLET

Özellikler / Specs

Kabin Duvarları	: Boyalı Cam, Ral3028
Giriş Duvarları	: Boyalı Cam, Ral3028
Arka Duvar	: Füme Reflekte Ayna
Taban	: Boyalı Cam, Ral3028
Aydınlatma	: Kırmızı Led
Tavan	: Boyalı Cam, Ral3028
Küpeşte	: Ayna Paslanmaz DB-01, Butonlu
Süpürgelik	: -
Opsiyonel	: Füme Reflekte Ayna Arkası TFT Gösterge

Car Walls	: Painted Glass, Ral3028
Entrance Walls	: Painted Glass, Ral3028
Rear Wall	: Smoked Reflect Mirror
Floor	: Painted Glass, Ral3028
Lighting	: Red Led
Ceiling	: Painted Glass, Ral3028
Handrail	: Mirror Stainless Steel DB-01, With COP
Skirting	: -
Optional	: Tft Display Behind Smoked Reflective Mirror

KLİNA

Özellikler / Specs

Kabin Duvarları	: Satine Paslanmaz
Giriş Duvarları	: Satine Paslanmaz
Arka Duvar	: Ahşap, AS-302 Kaplama
Taban	: Rosawell Granit
Aydınlatma	: YKS Led
Tavan	: Satine Paslanmaz
Küpeşte	: Ø38 Parlak Satine Paslanmaz Boru
Süpürgelik	: Satine Paslanmaz
Opsiyonel	: -

Car Walls	: Hairline Stainless Steel
Entrance Walls	: Hairline Stainless Steel
Rear Wall	: Wood, AS-302 Finishing
Floor	: Rosawell Granite
Lighting	: YKS Led
Ceiling	: Hairline Stainless Steel
Handrail	: Ø38 Polished Stainless Steel Pipe
Skirting	: Hairline Stainless Steel
Optional	: -





MELANURYA

Özellikler / Specs

Kabin Duvarları	: Satine Paslanmaz, Dışa Bombeli Aksesuar, Ayna Paslanmaz
Giriş Duvarları	: Satine Paslanmaz, Ayna Paslanmaz
Arka Duvar	: Satine Paslanmaz, Mirror Yüzey
Taban	: Cam, UV Baskı GB-105
Aydınlatma	: YKS Led & Led Spot
Tavan	: Satine Paslanmaz
Küpeşte	: Ø38 Parlak Satine Paslanmaz Boru
Süpürgelik	: Satine Paslanmaz
Opsiyonel	: -

Car Walls	: Stainless Steel, Outer Curved Accessories, Mirror Surface
Entrance Walls	: Stainless Steel, Mirror Surface
Rear Wall	: Stainless Steel, Mirror Surface
Floor	: Glass, UV Press GB-105
Lighting	: YKS Led & Led Spot
Ceiling	: Stainless Steel
Handrail	: Ø38 Polished Stainless Steel Pipe
Skirting	: Stainless Steel
Optional	: -



FRONTOZA

Özellikler / Specs

Kabin Duvarları	: Sarı Ayna Paslanmaz, BA25 Nokta Desen
Giriş Duvarları	: Sarı Ayna Paslanmaz, BA25 Nokta Desen
Arka Duvar	: Sarı Ayna Paslanmaz, BA25 Nokta Desen
Taban	: Star Galaxy Granit
Aydınlatma	: YKS Led & Led Spot
Tavan	: Sarı Ayna Paslanmaz, BA25 Nokta Desen, C-101
Küpeşte	: Satine Paslanmaz Ø28 Parlak Özel Formlu Boru
Süpürgelik	: Satine Paslanmaz BA25 Nokta Desen
Opsiyonel	: -

Car Walls	: Mirror Ti Gold, BA25 Linen
Entrance Walls	: Mirror Ti Gold, BA25 Linen
Rear Wall	: Mirror Ti Gold, BA25 Linen
Floor	: Star Galaxy Granite
Lighting	: YKS Led & Led Spot
Ceiling	: Mirror Ti-Gold, BA25 Linen, C-101
Handrail	: Stainless Steel Ø28 Polished Special Design Pipe
Skirting	: Stainless Steel BA 25 Linen
Optional	: -



LEVKİT

Özellikler / Specs

Kabin Duvarları : Sarı Ayna Paslanmaz, 4258 Motifli Ahşap

Giriş Duvarları : Sarı Ayna Paslanmaz

Arka Duvar : Sarı Ayna Paslanmaz, 4258 Motifli Ahşap

Taban : Desenli Seramik, Emparador Dark Mermer

Aydınlatma : Spot Gi-Led & Gizli Gi-Şerit Led

Tavan : Sarı Ayna Paslanmaz

Küpeşte : Piring, Ø28 Parlak Boru, 3 Duvarda

Süpürgelik : Sarı Ayna Paslanmaz

Opsiyonel : 19" Led Ekran USB Video Oynatıcılı, Ayna Arkasında

Car Walls : Mirror Ti-Gold Stainless Steel , 4258 Patterned Wood

Entrance Walls : Mirror Ti-Gold Stainless Steel

Rear Wall : Mirror Ti-Gold Stainless Steel , 4258 Patterned Wood

Floor : Patterned Ceramic, Emparador Dark Marble

Lighting : Spot Gi-Led & Hidden Gi-Tape Led

Ceiling : Mirror Ti-Gold Stainless Steel

Handrail : Brass, Ø28 Polished Pipe On 3 Sides

Skirting : Mirror Ti-Gold Stainless Steel

Optional : 19" Led Screen With USB Video Player Behind Mirror



SİNARİT

Özellikler / Specs

Kabin Duvarları : Beyaz Lake Duvar Üzeri Özel Ahşap İşleme

Giriş Duvarları : Bronze Satine Paslanmaz

Arka Duvar : Beyaz Lake Duvar Üzeri Özel Ahşap İşleme, Ahşap Ayna Çerçevesi

Taban : Mirat Çimstone

Aydınlatma : YKS Led

Tavan : Beyaz Lake Tavan Üzeri Özel Ahşap İşleme

Küpeşte : Özel Ahşap İşlemeli Gizli Led Aydınlatmalı

Süpürgelik : Özel Ahşap İşlemeli

Opsiyonel : -

Car Walls : Special Wood Engraving On The White Lackered Walls

Entrance Walls : Hairline Ti-Bronze Stainless Steel

Rear Wall : Special Wood Engraving On The White Lackered Walls, Wooden Mirror Frame

Floor : Mirat Cimstone

Lighting : YKS Led

Ceiling : Special Wood Engraving On The White Lackered Ceiling

Handrail : Special Wood Engraving With Hidden Led Lighting

Skirting : Special Wood Engraving

Optional : -




SARPA

Özellikler / Specs

Kabin Duvarları	: Ahşap Özel Desen Altın Varak İşleme
Giriş Duvarları	: Sarı Ayna Paslanmaz
Arka Duvar	: Ahşap Özel Desen Altın Varak İşleme, Özel Kesim Ayna
Taban	: Özel Desen Altın Varak Baskılı Cam
Aydınlatma	: YKS Spot Led
Tavan	: Ahşap Özel Desen Altın Varak İşleme
Küpeşte	: Ahşap-Sarı Ayna Paslanmaz Özel Tasarım
Süpürgelik	: Ahşap Özel Desen Altın Varak İşleme
Opsiyonel	: -

Car Walls	: Wooden Special Pattern Gold Leaf Pattern
Entrance Walls	: Mirror Ti Gold
Rear Wall	: Wooden Special Design Gold Leaf Pattern, Special Shaped Mirror
Floor	: Special Design Gold Leaf Printed Glass
Lighting	: YKS Spot Led
Ceiling	: Wooden Special Design Gold Leaf Pattern
Handrail	: Wooden-Mirror Ti Gold Special Design
Skirting	: Wooden Special Pattern Gold Leaf Pattern
Optional	: -



ÇIKLİT

Özellikler / Specs

Kabin Duvarları	: Satine Paslanmaz, Decosteel Özel Desen
Giriş Duvarları	: Ayna Paslanmaz
Arka Duvar	: Esnek Mermer, Satine Paslanmaz, Mirror Yüzey
Taban	: Silver Waves Granit
Aydınlatma	: Özel Gizli Aydınlatma
Tavan	: Esnek Mermer, Satine Paslanmaz, Mirror Yüzey
Küpeşte	: Ø38 Parlak Satine Paslanmaz Boru
Süpürgelik	: Özel Tasarım Satine Paslanmaz, Mirror Yüzey
Opsiyonel	: -

Car Walls	: Stainless Steel, Decosteel Special Pattern
Entrance Walls	: Mirror Stainless Steel
Rear Wall	: Flexible Marble , Stainless Steel, Mirror Surface
Floor	: Silver Waves Granite
Lighting	: Special Hidden Lighting
Ceiling	: Flexible Marble , Stainless Steel, Mirror Surface
Handrail	: Ø38 Polished Stainless Steel Pipe
Skirting	: Special Design Stainless Steel, Mirror Surface
Optional	: -



BARRELEYE

Özellikler / Specs

Kabin Duvarları	: Satine Paslanmaz, Dijital Baskı
Giriş Duvarları	: Satine Paslanmaz
Arka Duvar	: Satine Paslanmaz, Füme Reflekte Cam
Taban	: Dijital Baskı
Aydınlatma	: YKS Led
Tavan	: Satine Paslanmaz, Dijital Baskı
Küpeşte	: Ø32 Parlak Satine Paslanmaz Boru
Süpürgelik	: Satine Paslanmaz
Opsiyonel	: Füme Reflekte Cam Arkası LCD Ekran

Car Walls	: Stainless Steel, Digital Print
Entrance Walls	: Hairline Stainless Steel
Rear Wall	: Stainless Steel, Smoked Reflective Glass
Floor	: Digital Printed Floor
Lighting	: YKS Led
Ceiling	: Stainless Steel, Digital Print
Handrail	: Ø32 Polished Stainless Steel Pipe
Skirting	: Hairline Stainless Steel
Optional	: LCD Screen Behind Smoked Reflective Glass



CAMGÖZ

Özellikler / Specs

Kabin Duvarları	: Satine Paslanmaz, Siyah Cam, Decosteel CX-51
Giriş Duvarları	: Satine Paslanmaz
Arka Duvar	: Satine Paslanmaz
Taban	: Star Galaxy Granit, Satine Paslanmaz
Aydınlatma	: YKS Led & Gi-Led Spot
Tavan	: Satine Paslanmaz
Küpeşte	: Ø38 Parlak Satine Paslanmaz Boru 2'li
Süpürgelik	: Satine Paslanmaz
Opsiyonel	: -

Car Walls	: Hairline Stainless Steel, Black Glass, Decosteel CX-51
Entrance Walls	: Hairline Stainless Steel
Rear Wall	: Hairline Stainless Steel
Floor	: Star Galaxy Granite, Hairline Stainless Steel
Lighting	: YKS Led & Gi-Led Spot
Ceiling	: Hairline Stainless Steel
Handrail	: Ø38 Polished Stainless Steel Double Pipe
Skirting	: Hairline Stainless Steel
Optional	: -

Panoramik Kabinler

Panoramic Cars



STRANGOLOS

Özellikler / Specs

Kabin Duvarları	: Sarı Ayna Paslanmaz, 5+5 Lamine Cam
Giriş Duvarları	: Sarı Ayna Paslanmaz
Arka Duvar	: Sarı Ayna Paslanmaz, 5+5 Lamine Cam
Taban	: Star Galaxy Granit
Aydınlatma	: Yeşil Led
Tavan	: Sarı Ayna Paslanmaz
Küpeşte	: Ø32 Sarı Kaplamalı Parlak Boru
Süpürgelik	: Sarı Ayna Paslanmaz
Opsiyonel	: Alt ve Üst Kubbe, Alem, Yeşil Led, Beyaz Led

Car Walls	: Mirror-Ti Gold Stainless Steel, 5+5 Laminated Glass
Entrance Walls	: Mirror-Ti Gold Stainless Steel
Rear Wall	: Mirror-Ti Gold Stainless Steel, 5+5 Laminated Glass
Floor	: Star Galaxy Granite
Lighting	: Green Led
Ceiling	: Mirror-Ti Gold Stainless Steel
Handrail	: Ø32 Gold Polished Steel Pipe
Skirting	: Mirror-Ti Gold Stainless Steel
Optional	: Bottom & Top Dome, Crescent, Green Led, White Led

ZARGANA

Özellikler / Specs

Kabin Duvarları : Satine Paslanmaz, PVC Kaplı Çelik HG08

Giriş Duvarları : Satine Paslanmaz

Arka Duvar : Lamine Cam

Taban : Emerald Pearl Granit

Aydınlatma : YKS Led

Tavan : Satine Paslanmaz

Küpeşte : Piriç, Ø28 Özel Büküm Parlak Boru

Süpürgelik : PVC Kaplı Çelik, HG08

Opsiyonel : Alt Ve Üst Kubbe

Car Walls : Hairline Stainless Steel, PVC Covered Steel, HG08

Entrance Walls : Hairline Stainless Steel

Rear Wall : Laminated Glass

Floor : Emerald Pearl Granite

Lighting : YKS Led

Ceiling : Hairline Stainless Steel

Handrail : Brass, Ø28 Special Bended Polished Pipe

Skirting : PVC Covered Steel, HG08

Optional : Bottom & Top Dome

KARMOZ

Özellikler / Specs

Kabin Duvarları : Sarı Ayna Paslanmaz, 5+5 Bombe Lamine Cam

Giriş Duvarları : Sarı Ayna Paslanmaz

Arka Duvar : Lamine Cam

Taban : Star Galaxy Granit

Aydınlatma : YKS Led

Tavan : Sarı Ayna Paslanmaz

Küpeşte : Piriç, Ø28 Özel Büküm Parlak Boru

Süpürgelik : Sarı Ayna Paslanmaz

Opsiyonel : Alt ve Üst Kubbe

Car Walls : Mirror-Ti Gold Stainless Steel, 5+5 Camber
: Laminated Glass

Entrance Walls : Mirror Ti Gold Stainless Steel

Rear Wall : Laminated Glass

Floor : Star Galaxy Granite

Lighting : YKS Led

Ceiling : Mirror Ti Gold Stainless Steel

Handrail : Brass, Ø28 Special Bended Polished Pipe

Skirting : Mirror Ti Gold Stainless Steel

Optional : Bottom & Top Dome

Yük Asansörleri

Freight Elevators



MOBİDİK

Özellikler / Specs

Kabin Duvarları : ESB Çelik, Ral7016 & Ral6027

Giriş Duvarları : ESB Çelik, Ral7016

Arka Duvar : ESB Çelik, Ral7016 & Ral6027

Taban : Çelik, ST37

Aydınlatma : YKS Led

Tavan : ESB Çelik, Ral7016 & Ral6027

Küpeşte : Yok

Süpürgelik : ESB Çelik, Ral7016

Opsiyonel : Ahşap Çarpma Bandı Çift Sıra

Car Walls : Powder Painted Steel, Ral7016 & Ral6027

Entrance Walls : Powder Painted Steel, Ral7016

Rear Wall : Powder Painted Steel, Ral7016 & Ral6027

Floor : Steel, ST37

Lighting : YKS Led

Ceiling : Powder Painted Steel, Ral7016 & Ral6027

Handrail : None

Skirting : Powder Painted Steel, Ral7016

Optional : Wooden Bumpers, In 2 Rows

Hastane Asansörü

Hospital Elevators



KOLYOZ

Özellikler / Specs

Kabin Duvarları : Satine Paslanmaz

Giriş Duvarları : Satine Paslanmaz

Arka Duvar : Satine Paslanmaz

Taban : Rosa Beta Granit

Aydınlatma : YKS Led 6

Tavan : Satine Paslanmaz, YC-122

Küpeşte : Ø38 Parlak Satine Paslanmaz Boru

Süpürgelik : Satine Paslanmaz

Opsiyonel : Ahşap Çarpma Bandı

Car Walls : Hairline Stainless Steel

Entrance Walls : Hairline Stainless Steel

Rear Wall : Hairline Stainless Steel

Floor : Rosa Beta Granite

Lighting : YKS Led 6

Ceiling : Hairline Stainless Steel, YC-122

Handrail : Ø38 Polished Stainless Steel Pipe

Skirting : Hairline Stainless Steel

Optional : Wooden Bumpers



Yüksek Hızlı Asansörler

High-Rise Elevators

YÜKSEK HIZLI ASANSÖRLER

Yükseliş Asansör olarak yüksek hızlı ve yoğun trafik ürünlerimizi seçtiğinizde özel ve yüksek performanslı bir asansör yapılabilmesi için tasarım ortağınız olarak her adınızda yanınızda olacağız.

Yüksek hızlı ve yoğun sistemlerde, kattan yönlendirilebilir giriş kontrol çözümlerimizle trafik yönetiminizi kolaylaştırabiliriz. Yükseliş yüksek hızlı asansör sistemlerimiz 30 kat üzeri binalar için mükemmel seçimdir.

Müşterilerinizin ve bina sahiplerinin nasıl bir yapılandırmaya ihtiyacı olursa olsun sizlere yardımcı olmak için çok güçlü bir teknik ekip ile çalışıyoruz. Lüks konutlar, lüks oteller, yoğun ofis alanları için hızın yanında estetiğin de yolculukların önemli bir parçası olması için çalışıyoruz.

Yükseliş Asansör olarak müşterilerimizin ihtiyaçları ve hareket kabiliyetlerini geliştirmek adına her tesis için özelleşmiş üretimler gerçekleştirmekteyiz.

HIGH-RISE ELEVATORS

As Yükseliş Elevator, when you choose our high-rise and high-traffic products, in order to build special and high performance elevators, we will be with you in every step of the way as your design partner.

In high-rise and high traffic systems, we can simplify your traffic management with our floor-directed access control solutions. Yükseliş high-rise elevator systems are the perfect choice for buildings over 30 floors.

We work with a very strong technical team to meet your customers and building owners whatever they need. For luxury residences, luxury hotels and busy office areas, we are working not only for speed but also for aesthetics to be important part of the journey.


As Yükseliş Elevator, we actualize customized productions for each facility in order to improve the needs and mobility of our customers.

Kapılar Doors



2 Panel Merkezi Kapı

2 Panels Central Door




Teknik Detaylar

Technical Details

2 Panel Merkezi Kapı Ölçü Aralıkları / 2 Panels Central Door Measuring Range									
W	600	700	800	900	1000	1100	1200	1300	1400
H	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300
L	1270	1470	1670	1870	2070	2270	2470	2670	2870
K	335	385	435	485	535	585	635	685	735
P	320	370	420	470	520	570	620	670	720
Standart Uyumluluğu / Standard Compatibility									
EN 81-1	+	+	+	+	+	+	+	+	+
EN 81-20	+	+	+	+	+	+	+	+	+
Kat Kapısı / Landing Door		Kat Kapısı / Landing Door		Eşik Ölçücüsü Sill Measure	Yangın Sınıfı Fire Class	Sertifika No Certificate No			
Şema/ Schema	Tip/Type	Şema/ Schema	Tip/Type						
	2L/C		2C/C	45 MM	E 15, E 30, E 45, E 60, E 90, E 120, EW 15, EW 30, EW 45, EW 60, EI 15, EI 30, EI 45	NL17-401002 060-04 NL17-400-1002-060-05 NL17-400-1002-060-06			

2 Panel Merkezi Camlı Kapı

2 Panels Central Door With Glass





Teknik Detaylar

Technical Details

2 Panel Merkezi Camlı Kapı Ölçü Aralıkları / 2 Panels Central Glass Door Measuring Range									
W	600	700	800	900	1000	1100	1200	1300	1400
H	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300
L	1270	1470	1670	1870	2070	2270	2470	2670	2870
K	335	385	435	485	535	585	635	685	735
P	320	370	420	470	520	570	620	670	720
Standart Uyumluluğu / Standard Compatibility									
EN 81-1	+	+	+	+	+	+	+	+	+
EN 81-20	+	+	+	+	+	+	+	+	+
Kat Kapısı / Landing Door				Kat Kapısı / Landing Door				Eşik Ölçücüsü Sill Measure	
Şema/ Schema	Tip/Type	Şema/ Schema	Tip/Type	Şema/ Schema	Tip/Type	Şema/ Schema	Tip/Type		
	2L/C		2C/C		2C/C		2C/C	45 MM	

2 Panel Teleskobik Kapi

2 Panels Telescopic Door




Teknik Detaylar

Technical Details

2 Panel Teleskobik Kapi Ölçü Aralıkları / 2 Panels Telescopic Door Measuring Range									
W	600	700	800	900	1000	1100	1200	1300	1400
H	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300
L	950	1100	1250	1400	1550	1700	1850	2000	2150
K	350	400	450	500	550	600	650	700	750
P	320	370	420	470	520	570	620	670	720
Standart Uyumluluğu / Standard Compatibility									
EN 81-1	+	+	+	+	+	+	+	+	+
EN 81-20	+	+	+	+	+	+	+	+	+
Kat Kapısı / Landing Door		Kat Kapısı / Landing Door		Eşik Ölçücüsü Sill Measure	Yangın Sınıfı Fire Class	Sertifika No Certificate No			
Şema/ Schema	Tip/Type	Şema/ Schema	Tip/Type						
	2L/R-L		2C/R-L	90 MM	E 15, E 30, E 45, E 60, E 90, E 120, EW 15, EW 30, EW 45, EW 60, EI 15, EI 30, EI 45	NL17-400-100060-04 NL17-400-100060-05 NL17-400-100-060-06			

2 Panel Teleskobik Camlı Kapi

2 Panels Telescopic Door With Glass





Teknik Detaylar

Technical Details

2 Panel Teleskobik Camlı Kapi Ölçü Aralıkları / 2 Panels Telescopic Glass Door Measuring Range									
W	600	700	800	900	1000	1100	1200	1300	1400
H	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300
L	950	1100	1250	1400	1550	1700	1850	2000	2150
K	350	400	450	500	550	600	650	700	750
P	320	370	420	470	520	570	620	670	720
Standart Uyumluluğu / Standard Compatibility									
EN 81-1	+	+	+	+	+	+	+	+	+
EN 81-20	+	+	+	+	+	+	+	+	+
Kat Kapısı / Landing Door		Kat Kapısı / Landing Door		Eşik Ölçücüsü Sill Measure	Yangın Sınıfı Fire Class	Sertifika No Certificate No			
Şema/ Schema	Tip/Type	Şema/ Schema	Tip/Type						
	2L/R-L		2C/R-L	90 MM	E 15, E 30, E 45, E 60, EW 15, EW 30, EW 45, EW 60	NL17-400-1002-060-08			

3 Panel Teleskobik Kapı

3 Panels Telescopic Door




Teknik Detaylar

Technical Details

3 Panel Teleskobik Kapı Ölçü Aralıkları / 3 Panels Telescopic Door Measuring Range									
W	800	900	1000	1100	1200	1300	1400	-	-
H	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	-	-
L	1115	1250	1385	1515	1650	1780	1915	-	-
K	315	350	385	415	450	480	515	-	-
P	285	320	355	385	420	455	485	-	-
Standart Uyumluluğu / Standard Compatibility									
EN 81-1	+	+	+	+	+	+	+	-	-
EN 81-20	-	+	+	+	+	+	+	-	-
Kat Kapısı / Landing Door		Kat Kapısı / Landing Door		Eşik Ölçücüsü Sill Measure	Yangın Sınıfı Fire Class	Sertifika No Certificate No			
Şema/ Schema	Tip/Type	Şema/ Schema	Tip/Type						
	3L/R-L		3C/R-L	135 mm	E 15, E 30, E 45, E 60, E 90, EW 15, EW 30	NL17-400-1002-060-07			

4 Panel Merkezi Kapı

4 Panels Central Door



Teknik Detaylar


Technical Details

4 Panel Merkezi Kapı Ölçü Aralıkları / 4 Panels Central Door Measuring Range									
W	900	1000	1100	1200	1300	1400	1500	-	-
H	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	1700-2300	-	-
L	1460	1610	1760	1910	2060	2210	2360	-	-
K	280	305	330	355	380	405	430	-	-
P	245	270	295	320	345	370	395	-	-
Standart Uyumluluğu / Standard Compatibility									
EN 81-1	+	+	+	+	+	+	+	-	-
EN 81-20	-	-	-	+	+	+	+	-	-
Kat Kapısı / Landing Door		Kat Kapısı / Landing Door		Eşik Ölçücüsü Sill Measure	Yangın Sınıfı Fire Class	Sertifika No Certificate No			
Şema/ Schema	Tip/Type	Şema/ Schema	Tip/Type						
	4L/C		4L/C	45 MM	E 15, E 30, E 15, E 30, EW 15, EW 30	EEA-1900-0087			



DAİRESEL KAPI

ROUND DOOR



Teknik Detaylar

Technical Details

Model	Yükseliş Yuvarlak Küçük Yükseliş Round Small	Yükseliş Yuvarlak Küçük Yükseliş Round Small	Yükseliş Yuvarlak Orta Yükseliş Round Medium	Yükseliş Yuvarlak Büyük Yükseliş Round Large
Nominal Yük / Rated Load	600-630kg(Ø1400)	600-630kg(Ø1400)	675-800kg(Ø1500)	825-1000kg(Ø1600)
Karkas / Suspension	2/1	2/1	2/1	2/1
Makine Dairesi / Machine Room	MRL,MR	MRL,MR	MRL,MR	MRL,MR
Maks. Seyir / Max. Travel (m)	60	60	60	60
Maks. Nominal Hiz / Max. Rated Speed (m/s)	1.6	1.6	1.6	1.6
Kuyu Dibi / Pit Depth (mm)	v=<1.0m/s 1400 v=1.6m/s 1600	v=<1.0m/s 1400 v=1.6m/s 1600	v=<1.0m/s 1400 v=1.6m/s 1600	v=<1.0m/s 1400 v=1.6m/s 1600
Net Son Kat / Clear Headroom (mm)	v=<1.0m/s 3800 v=1.6m/s 4000	v=<1.0m/s 3800 v=1.6m/s 4000	v=<1.0m/s 3800 v=1.6m/s 4000	v=<1.0m/s 4200 v=1.6m/s 4000
Girişler / Entrances	Tek Giriş veya Kabine Göre Single entrance or through type car	Tek Giriş veya Kabine Göre Single entrance or through type car	Tek Giriş veya Kabine Göre Single entrance or through type car	Tek Giriş veya Kabine Göre Single entrance or through type car
Kapı Ölçüsü / Door Size (mm)	700	900	800	900
Kapı Kaplaması / Door Finishing	Cam, Hairline Paslanmaz Çelik, Decosteel / Glass, Hairline Stainless, Decosteel	Cam, Hairline Paslanmaz Çelik, Decosteel / Glass, Hairline Stainless, Decosteel	Cam, Hairline Paslanmaz Çelik, Decosteel / Glass, Hairline Stainless, Decosteel	Cam, Hairline Paslanmaz Çelik, Decosteel / Glass, Hairline Stainless, Decosteel
Maks. Kabin Çapı / Max. Cabin Diameter (mm)	Ø1400	Ø1400	Ø1500	Ø1600
Kabin Kaplaması / Cabin Finishing	Cam, Hairline Paslanmaz Çelik, Decosteel / Glass, Hairline Stainless, Decosteel	Cam, Hairline Paslanmaz Çelik, Decosteel / Glass, Hairline Stainless, Decosteel	Cam, Hairline Paslanmaz Çelik, Decosteel / Glass, Hairline Stainless, Decosteel	Cam, Hairline Paslanmaz Çelik, Decosteel / Glass, Hairline Stainless, Decosteel
Min. Kuyu Çapı / Min. Shaft Diameter (mm)	Ø2100	Ø2100	Ø2200	Ø2300
Panoramik / Panoramic Lift	Evet / Yes	Evet / Yes	Evet / Yes	Evet / Yes
Min. Kuyu Dibi Çapı / Minimum Diameter To Be Excavated	Ø2400	Ø2400	Ø2500	Ø2600

Asansör Butonları

Elevator LOP & COP



Kat Kontrol Panelleri

Landing Operation Panels



YLP 01
Sıva Üstü Kat Butonu
 Surface Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Tekli Buton
 Mechanic Single Button
Simplex Sistem
 Simplex System
Dot Matrix Ekran
 Dot Matrix Display



YLP 02
Sıva Üstü Kat Butonu
 Surface Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Çiftli Buton
 Mechanic Double Button
Simplex Sistem
 Simplex System
Dot Matrix Ekran
 Dot Matrix Display



YLP 03
Sıva Üstü Kat Butonu
 Surface Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Tekli Buton
 Mechanic Single Button
Simplex Sistem
 Simplex System
7 Segment Ekran
 Seven-Segment Display



YLP 04
Sıva Üstü Kat Butonu
 Surface Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Çiftli Buton
 Mechanic Double Button
Simplex Sistem
 Simplex System
7 Segment Ekran
 Seven-Segment Display



YLP 12
Sıva Üstü Kat Butonu
 Surface Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Tekli Buton
 Mechanic Single Button
Dubleks Sistem
 Duplex System
Dot Matrix Ekran
 Dot Matrix Display



YLP 13
Sıva Üstü Kat Butonu
 Surface Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Çiftli Buton
 Mechanic Double Button
Dubleks Sistem
 Duplex System
Dot Matrix Ekran
 Dot Matrix Display



YLP 14
Sıva Üstü Kat Butonu
 Surface Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Tekli Buton
 Mechanic Single Button
Dubleks Sistem
 Duplex System
7 Segment Ekran
 Seven-Segment Display



YLP 05
Sıva Altı Kat Butonu
 Flush Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Tekli Buton
 Mechanic Single Button
Simplex Sistem
 Simplex System
Dot Matrix Ekran
 Dot Matrix Display



YLP 06
Sıva Altı Kat Butonu
 Flush Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Çiftli Buton
 Mechanic Double Button
Simplex Sistem
 Simplex System
Dot Matrix Ekran
 Dot Matrix Display



YLP 07
Sıva Altı Kat Butonu
 Flush Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Tekli Buton
 Mechanic Single Button
Simplex Sistem
 Simplex System
7 Segment Ekran
 Seven-Segment Display



YLP 08
Sıva Altı Kat Butonu
 Flush Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Çiftli Buton
 Mechanic Double Button
Simplex Sistem
 Simplex System
7 Segment Ekran
 Seven-Segment Display



YLP 15
Sıva Üstü Kat Butonu
 Surface Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Çiftli Buton
 Mechanic Double Button
Dubleks Sistem
 Duplex System
7 Segment Ekran
 Seven-Segment Display



YLP 16
Sıva Altı Kat Butonu
 Flush Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Tekli Buton
 Mechanic Single Button
Dubleks Sistem
 Duplex System
Dot Matrix Ekran
 Dot Matrix Display




YLP 17
Sıva Altı Kat Butonu
 Flush Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Çiftli Buton
 Mechanic Double Button
Dubleks Sistem
 Duplex System
Dot Matrix Ekran
 Dot Matrix Display




YLP 09
Sıva Üstü Kat Butonu
 Surface Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Tekli Buton
 Mechanic Single Button
Simplex Sistem
 Simplex System
7 Segment Ekran
 Seven-Segment Display



YLP 10
Sıva Altı Kat Butonu
 Flush Mounted LOP
Cam Kaplama
 Glass Finishing
Dokunmatik Tekli Buton
 Touchscreen Single Button
Simplex Sistem
 Simplex System
7 Segment Ekran
 Seven-Segment Display



YLP 11
Sıva Altı Kat Butonu
 Flush Mounted LOP
Cam Kaplama
 Glass Finishing
Dokunmatik Tekli Buton
 Touchscreen Single Button
Simplex Sistem
 Simplex System
Dot Matrix Ekran
 Dot Matrix Display




YLP 18
Sıva Altı Kat Butonu
 Flush Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Tekli Buton
 Mechanic Single Button
Dubleks Sistem
 Duplex System
7 Segment Ekran
 Seven-Segment Display



YLP 19
Sıva Altı Kat Butonu
 Flush Mounted LOP
Paslanmaz Çelik Kaplama
 Stainless Steel Finishing
Mekanik Çiftli Buton
 Mechanic Double Button
Dubleks Sistem
 Duplex System
7 Segment Ekran
 Seven-Segment Display



YLP 20
Sıva Altı Kat Butonu
 Flush Mounted LOP
Cam Kaplama
 Glass Finishing
Dot Matrix Ekran
 Dot Matrix Display



YLP 21
Dokunmatik Tekli Buton
 Touchscreen Single Button
Dubleks Sistem
 Duplex System
7 Segment Ekran
 Seven Segment Display

Kabin Kontrol Panelleri

Cabin Operation Panels



YCP 01
Kabin Kontrol Paneli
Cabin Operation Panel

Paslanmaz Çelik Kaplama
Stainless Steel Finishing

Mekanik Buton
Mechanic Button

Dot Matrix Ekran
Dot Matrix Display



YCP 02
Kabin Kontrol Paneli
Cabin Operation Panel

Paslanmaz Çelik Kaplama
Stainless Steel Finishing

Mekanik Buton
Mechanic Button

7 inç TFT Ekran
7" TFT Display



YCP 03
Kabin Kontrol Paneli
Cabin Operation Panel

Paslanmaz Çelik Kaplama
Stainless Steel Finishing

Mekanik Buton
Mechanic Button

10 inç TFT Ekran
10" TFT Display




YCP 04
Kabin Kontrol Paneli
Cabin Operation Panel

Paslanmaz Çelik Kaplama
Stainless Steel Finishing

Mekanik Buton
Mechanic Button

15.6 inç TFT Ekran
15.6" TFT Display




YCP 06
Kabin Kontrol Paneli
Cabin Operation Panel

Cam Kaplama
Glass Finishing

Dokunmatik Buton
Touchscreen Button

Dot Matrix Ekran
Dot Matrix Display




YCP 07
Kabin Kontrol Paneli
Cabin Operation Panel

Cam Kaplama
Glass Finishing

Dokunmatik Buton
Touchscreen Button

7 inç TFT Ekran
7" TFT Display




YCP 08
Kabin Kontrol Paneli
Cabin Operation Panel

Cam Kaplama
Glass Finishing

Dokunmatik Buton
Touchscreen Button

10 inç TFT Ekran
10" TFT Display



YCP 09
Kabin Kontrol Paneli
Cabin Operation Panel

Cam Kaplama
Glass Finishing

Dokunmatik Buton
Touchscreen Button

15.6 inç TFT Ekran
15.6" TFT Display



YCP 05
Yatay Kabin Kontrol Paneli
Horizontal Cabin Operation Panel

Mekanik Buton
Mechanic Button

Paslanmaz Çelik Kaplama
Stainless Steel Finishing

Dot Matrix Ekran
Dot Matrix Display



YCP 10
Yatay Kabin Kontrol Paneli
Horizontal Cabin Operation Panel

Mekanik Buton
Mechanic Button

Füme Ayna Paslanmaz Çelik Kaplama
Fume Mirror Stainless Steel Finishing


Dot Matrix Ekran
Dot Matrix Display

Motor Motors



YM Serisi Halatlı Dişlisiz Motor


YM Series Gearless Motor With Rope



Ürün Kodu Product Code	Kapasite (kg) Capacity (kg)	Askı tipi Roping	Hız (m/s) Speed (m/s)	Güç (kW) Power (kW)	Kasnak Ölçüleri Pulley Dimensions	Akım Current	Tork (Nm) Torque (Nm)	Statik Yük (kg) Static Load (kg)
YM1630	630	2/1	1	3,8	210x6,5x7	10 A	230	5250
YM1450	450	2/1	1	3,8	210x6,5x6	10 A	230	5250
YM1320	320	2/1	1	3,8	210x6,5x5	10 A	230	5250
YM1240	240	2/1	1	3,8	210x6,5x4	10 A	230	5250

YMP Serisi Poliüretan Halatlı Dişlisiz Motor


YMP Series Gearless Motor With PU Rope



Ürün Kodu Product Code	Kapasite (kg) Capacity (kg)	Askı tipi Roping	Hız (m/s) Speed (m/s)	Güç (kW) Power (kW)	Kasnak Ölçüleri Pulley Dimensions	Akım Current	Tork (Nm) Torque (Nm)	Statik Yük (kg) Static Load (kg)
YMP75800	800	2/1	0,75	3,8	160x6,5x7	10 A	300	5250
YMP75630	630	2/1	0,75	3,8	160x6,5x6	10 A	300	5250
YMP75450	450	2/1	0,75	3,8	160x6,5x6	10 A	300	5250
YMP75320	320	2/1	0,75	3,8	160x6,5x5	10 A	300	5250

YMB Serisi Kayışlı Dişlisiz Motor

YMB Series Gearless Motor With Belt



Ürün Kodu Product Code	Kapasite (kg) Capacity (kg)	Askı tipi Roping	Hız (m/s) Speed (m/s)	Güç (kW) Power (kW)	Kasnak Ölçüleri Pulley Dimensions	Akım Current	Tork (Nm) Torque (Nm)	Statik Yük (kg) Static Load (kg)
YMB631100	1100	2/1	0,63	3,8	120x33x4	10 A	400	5250
YMB63800	800	2/1	0,63	3,8	120x33x3	10 A	400	5250
YMB63630	630	2/1	0,63	3,8	120x33x2	10 A	400	5250
YMB63450	450	2/1	0,63	3,8	120x33x2	10 A	400	5250


Komponetler Components



Türkiye'nin En Büyük
Asansör Yapı Marketi
Biggest Elevator Market of Türkiye

Poliüretan Tampon EDB 1.0

Energy Dissipation Buffer EDB 1.0




Tampon Cinsi Buffer Type	EDB 1.0
Çap D (mm)* Diameter D (mm)*	125
Çap D1 (mm)* Diameter D1 (mm)*	35
Çap D2 (mm)* Diameter D2 (mm)*	17
Yükseklik H (mm)* Height H (mm)*	100
Maksimum P+Q(kg) Maximum P+Q (kg)	2250
Minimum P+Q(kg)	300

* ile belirtilen ölçüler ± 2 mm toleransa sahiptir.
 *sizes which has ± 2 mm tolerance

Hidrolik Tampon YEHB-16



Energy Dissipation Buffer YEHB-16



Tampon Cinsi Buffer Type	YEHB-16
Nominal Hız (m/s) Nominal Speed (m/s)	1,6
Minumum Ağırlık (Kg) Min Mass (kg)	500
Maksimum Ağırlık (Kg) Max Mass (kg)	2500
Strok (mm) Stroke (mm)	185
Yağ Miktarı (lt) Amount of Oil (lt)	0,6
Yağ Tipi Oil Type	Hydro Oil 68

Makaralı Paten YERG 125



Roller Guide Shoe YERG 125



Ürün Kodu Product Code	Ray Kalınlık Guide Rail Blade Thick- ness (mm)	Max Çalışma Hızı Max Nomi- nal Speed (M/S)	Max Taşıma Kapasitesi Max Load Capacity (N)			Makara Çap Roller DIAMETER (mm)
			0,63 m/s	1 m/s	2,5 m/s	
YERG125-9	9	2,50	3020	2840	2650	Ø125
YERG125-10	10		3020	2840	2650	Ø125
YERG125-16	16		3020	2840	2650	Ø125

Fren YESG



Safety Gear YESG



Ray Yüzeyi Guide Rail Surface Condition	Yağlama Lubrication	Ray Kalınlığı Guide Rail Thickness	Hız (M/S) Velocity (M/S)	TS ISO 7465 / B	
				Min Kg	Max Kg
Machined / İşlenmiş	Oiled / Yağlı	9	1	1100	1500
Machined / İşlenmiş	Oiled / Yağlı	16	1	1100	1800
Machined / İşlenmiş	Oiled / Yağlı	16	1.6	1100	1800

Çift Yönlü Regülatör YEOSG

Bi-direction Overspeed Governor YEOSG



YEOSG Çift Yönlü Regülatör			
Çift Yönde Hız Kontrolü Sağlamaktadır.			
Bi-Direction Speed Control Provided.			
Uzaktan Erişim İmkanı 190 Dc Bobin ile Sağlamaktadır.			
Remote Control Provided By 190 Dc Bobbin.			
Emniyet Switch Kontrolü Sağlayan 24 Dc Bobin Bulunmaktadır.			
There is 24 DC Bobbin To Control Emergency Switch.			
Makine Daireli Ve Dairesiz Sistemlerde Kullanılmaktadır.			
Can Be Used With MR & MRL Systems.			
EN 81-20 & EN 81-50 Standartlarına Uygunudur.			
Compatible With EN 81-20 & EN 81-50.			
Data/Type	YEOSG	YEOSG	YEOSG
	220 063	220 100	220 160
Nominal Velocity	0,63 m/s	1,00 m/s	1,60 m/s
Nominal Hız			

Komponentler

Components



YC-101

Flexible Takoz
Cable Wedge



YC-102

Kabin Havalandırma Fan
Cabin Ventilation Fan



YC-103

Led Çözümleri
Led Solutions



YC-111

Sac Tırnak
Sheet Metal Rail Clips



YC-112

Teleskobik Merdiven
Telescopic Stairs



YC 113 A

Yağ Toplama Kabı
Oil Can



YC-104

Denge Zinciri Aparatı
Balance Chain Apparatus



YC-106-110

Paten
Guide Shoes



YC-108P-110P

Asansör Paten Plastiği
Guide Shoe Plastic



YC 113 B

Yağdanlık
Guide Lubricator



YC-114

Kuyu Kancası
Shaft Hook



YC-115

Fotosel
Door Detector



YC-116

Kuyu Dibi Seti
Pit Set

Kabin İskeleti

Car Frame



2:1 Sistem Hidrolik Karkas
2:1 System Hydraulic Carcass



1:1 Sistem Hidrolik Karkas
1:1 System Hydraulic Carcass



2:1 Sistem Süspansiyon Altıtan Çapraz Palangalı
2:1 System Suspension Lower Crosspulley




1:1 Sistem Süspansiyon Direk Askı
1:1 System Suspension Direct Hanger



2:1 sistem Süspansiyon Üstten Palanga Ray Eksenine Dik
2:1 System Suspension Upper Pulley Perpendicular to The Rail Axis

Ağırlık Şasesi

Counterweight Chassis



Cw P01
2:1 Sistem Ray Eksenine Dik Ağırlık Şasesi

2:1 System Counterweight Chassis Perpendicular to the Rail Axis



CW D01
1:1 Sistem Direkt Askı Ağırlık Şasesi


1:1 System Counterweight Chassis with Direct Hanger

Makine Şasesi


Machine Chassis




MC 01
MR Saptırma Kasnaklı Makine Şasesi
MR Machine Chassis with Diversion Pulley



MC 02
MR Saptırma Kasnaksız Makine Şasesi
MR Machine Chassis Without Diversion Pulley



MC 03
MRL Duvara Bağlı Makine Şasesi
MRL Wall Mounted Machine Chassis



MC 04
MRL Raya Bağlı Makine Şasesi
MRL Rail Mounted Machine Chassis

Yatay Asansör

Ergonomi; Herkesin kişisel, sosyal ve mesleki yaşamındaki kilit faktördür. Herhangi bir şekil ve ebattaki eğimli asansörlerle, yamaç ve yokuş yukarı tırmanmanın konfor ve emniyet içinde olması mümkündür. Yükseliş Asansör'ün, eğimli asansörleriyle yolculuk her zaman bir ayrıcalıktır!

Rahat sürüşün keyfini çıkarın. Ferah ve zarif kabinlerimize binip panoramik cam duvarlarla manzaranın keyfini çıkarın. Artık konforsuz asansörlere binmektense ya yürümeyi yada Yükseliş Asansör'ü tercih edeceksiniz !

Genel kullanım alanları; Doğal kıyı veya dağlık alanlar, kamu tesisleri, restoranlar, tatil beldeleri, gözlem güverteleri ...

Yükseliş asansörleriyle, herkes gitmek istediği yere konforlu ve güvenli bir şekilde erişilebilir. Kalite ve güvenliği önemsiyoruz. Otomatik kayar kapılar ve iki yönlü iletişim sistemleri, önemli teknik detaylar, işlenmiş kılavuz raylar, birinci sınıf ve güvenli bir sürüş sağlar.

Yeteneklerimiz

- 2.000 kg kapasiteye kadar makine oda uygulamazı çözümler ve 2,5 m/s hız dahil, eğimli asansörler

- En zorlu beklentileri karşılamak için çok çeşitli opsiyonel ekstralarla birlikte, iç veya dış tesisatlar

- Ön veya yana yerleştirilmiş eğimli kapılar.

- Değişken eğim ve eğrisel yolculuk

- Şebeke geri besleme sistemleri veya güneş enerjisi ile çalışan motorlar ile düşük işletme ve bakım maliyeti çözümleri

- Kurulum masraflarının azaltılmasına katkıda bulunan önceden monte edilmiş raylar, elektrik kabloları, kontrol sistemleri ve motorlar/dişliler.

- Güvenliğiniz ve konforunuz için ekstralar arasında: CCTV kamera, klima, uzaktan izleme sistemi, emniyetli kat kapı sistemi, kapıların çalışması ve veri iletişimi için kablolu cihazlar.

Inclined Elevator

Ergonomics; Everyone's key factor in personal, social and professional life. Climbing uphill in safety and comfort of the inclined elevators in any shape and size, is possible. Yükseliş Elevator's, travelling with the inclined elevator is always a privilege!

Enjoy the comfortable usage. Enjoy the view in our spacious and elegant cabins with the panoramic glass walls. Rather get on the elevator that are comfortable any more, will prefer either walk or Yükseliş Elevator !

General usage areas; Natural coastal or mountainous areas, public facilities, restaurants, resorts, observation decks ...

With Yükseliş Elevators, everyone can reach comfortable and safely where they want to go. We care about quality and safety.

Automatic sliding doors and two-way communication systems, important technical details, machined guide rails, provide first-class and safe usage.

Our Capabilities

- Up to 2.000 kg capacity , machine roomless solutions and 2,5 m/s speed including, inclined elevators

- Along with a wide range of optional extras to meet the most demanding expectations, internal or external installations

- The inclined doors which are installed as front or side


- Variable inclination and curvilinear travelling

- The regenerative power supply systems or solar powered motors with low operating and maintenance cost solutions;

- Pre-installed rails that contribute to the reduction of installation costs, power cables, control systems and motors / gears

- Among the extras for your safety and comfort: CCTV cameras, air conditions, remote monitoring system, safe landing door system, for operating the doors and data communication wireless devices

YATAY ASANSÖR
INCLINED ELEVATOR



DÖNEN ASANSÖR ROTATING ELEVATOR

BİR GİRİŞLİ ASANSÖR KABİNİN FARKLI YÖNLERDEKİ KAT KAPILARINA KABİN EKSENİNDE DÖNEREK HAREKET ETMESİ

Buluşun ilgili olduğu teknik saha ve tekniğin bilinen durumu:

Bu buluş asansör sistemleriyle ilgilidir. Klasik asansör sistemlerinde asansörün sadece yukarı ve aşağı hareketi söz konusudur. Bu buluşta asansör dikey hareketinin yanı sıra kendi ekseninde dönme hareketi yapmaktadır. Bu hareket sayesinde asansör kabini farklı yönlerdeki kat kapılarına yukarı ve aşağı hareketi esnasında kendi ekseninde dönerek ulaşır. Asansörün bu işlemleri yapabilmesi için asansör kabininin tam yuvarlak olması ve kapılarının radyal hareket etmesi gerekmektedir.

Buluşun çözümünü amaçladığı teknik problemler:

Buluşun mimari çözümler sunması amaçlanmaktadır. Bina tasarımlarında katların farklı yönlerde olması durumunda klasik asansör sistemlerinde asansör kabine birden fazla giriş yapılarak çözüm aranmaktadır. Bu durumda asansör kabini iç dizaynının istendiği gibi yapılamaması yanı sıra asansör kuyusunda geniş yer kayıplarına sebep olunmaktadır. Bu buluş sayesinde asansör kabine yapılacak bir giriş ve asansör kabinin ihtiyaç duyulan katlardaki kapılara kendi ekseninde dönerek ulaşmasıyla adı geçen problemlere çözüm bulunmaktadır.



ROTATING ELEVATOR MADE BY YÜKSELİŞ

General Description:

Its single entry cabin moves up to the landing doors that are placed in different direction than the floor below. To do this elevator cabin turns around its own axis. This invention is relevant the development of elevator systems. The elevator moves up and down, same as in classical motion system. However it moves also vertically. As mentioned before the cabin goes around its own axis, and by doing this can reach landing door placed in different direction than the floor below. In classical motion systems, to accomplish the same effect of reaching next floor landing door placed in different direction, the elevator cabin has more than one entry. In this case elevator cabin interior cannot be designed properly and takes a lot of space in the shaft. In our invention the elevator cabin has only one entry door.

Boyalı Kaplama Opsiyonları

Powder Painted Finishing Options



RAL 6027



RAL 7016



RAL 7032




RAL 7038



RAL 7040



RAL 9005



RAL 9016

*RAL 7038 ve RAL 7040 renkleri standarttır. RAL 7032, RAL 6027, RAL 7016, RAL 9005 VE RAL 9016 ve talep edilen tüm diğer renkler özel renk olarak ücretlendirilmektedir.
*RAL 7038 and RAL 7040 are standard colors. RAL 7032, RAL 6027, RAL 7016, RAL 9005, RAL 9016 and all other colors are priced with extra cost.

Paslanmaz Çelik Opsiyonları

Stainless Steel Finishing Options



YD-01



YD-02



YD-03



YD-04




YD-05




YD-06



YD-07



YD-08




YD-09



YD-10



YD-11



YD-12



YD-13



YD-14

Dekoratif Paslanmaz Opsiyonları


Decosteel Finishing Options



YD-15



YD-16



YD-17



YD-18




YD-19



YD-20




YD-21



YD-22




YD-23



YD-24



YD-25




YD-26




YD-27




YD-28




YD-29




YD-30



YD-31



YD-32




YD-33



YD-34




YD-35




YD-36




YD-37



YD-38



YD-39



YD-40




YD-41




YD-42

PVC Kaplamalı Sac

Decoplate Finishing Options



NP-06



NP-07




NP-08




NP-09



NP-11




NP-12




HG-06



HG-08




HG-10




HG-11



HG-12



HG-13




HG-14




HG-15



HG-16




HG-17




ME-03




GP-02




GR-01




GS-04




GS-05




OD-01



OD-02



OD-19



OD-20


*Kataloğumuzda bulunan kaplama seçeneklerinin stok durumu değişiklik gösterebilir. Stok durumu ve farklı renk-desen seçenekleri için lütfen satış temsilcimizle iletişime geçiniz.
*Please ask for availability of coating options first. It might show a change in accordance with stock situation.

PVC Zemin Opsiyonları

PVC Floor Options



YF-01




YF-02



YF-03




YF-04



YF-05



YF-06




YF-07

Granit Opsiyonları

Granite Floor Options



Aksaray Yaylak




Baltic Brown



Bluepearl



Emerald Pearl




Bianco Carrara




Rosa Beta



Rosavel




Silver Waves




Verde Guatemala



Star Galaxy



Tundra Grey Çimstone



Smyrna Çimstone



Mirat Çimstone



Boreas Çimstone

Tavan Opsiyonları

Ceiling Options



YC-01



YC-02



YC-03



YC-04



YC-05



YC-06

Küpeşte Opsiyonları


Handrail Options



YHR-101



YHR-102



YHR-103



YHR-104



YHR-105



YHR-106

Asansör Sınıfları

Elevator Categories

YÜKSELİS

Sınıf 1, Sınıf 2 ve Sınıf 6 Asansörleri - Kabinlerin Fonksiyonel Boyutları Class 1, 2 & 6 Car Functional Dimensions																
Parametre Parameter	Beyan Hızı Speed	Konutlardaki Asansörler Sınıf 1 Residence Class1				Genel Amaçlı Asansörler Sınıf 2 General Purpose Class 2			Yoğun Kullanımlı Asansörler Sınıf 6 Heavy Duty Class 6							
		Beyan Yüğü Kütle / Rated Load														
		320 Kg	450 Kg	630 Kg	1000 Kg	630 Kg	800 Kg	1000/1275 Kg	1275 Kg	1600 Kg	1800 Kg	2000 Kg				
Kabin Yüksekliği Car Height		2200 mm						2300 mm	2400 mm							
Kabin ve Durak Kapısı Yüksekliği / Door Height		2000 mm	2100 mm													
Kuyu Dibi Derinliği Pit	0,40 m/s	1400 mm				x										
	0,63 m/s	1400 mm							x							
	1,00 m/s															
	1,60 m/s	x	1600 mm													
	2,00 m/s	x		1750 mm		x	1750 mm									
	2,50 m/s	x		2200 mm		x	2200 mm									
Kuyu Üst Boşluğu Headroom	0,40 m/s	3600 mm				x										
	0,63 m/s	3600 mm				3800 mm		4200 mm								
	1,00 m/s	3700 mm						4200 mm								
	1,60 m/s	x	3800 mm			4000 mm		4200 mm								
	2,00 m/s	x		4300 mm		x	4400 mm									
	2,50 m/s	x		5000 mm		x	5000mm	5200 mm	5500 mm							

Sınıf 3 Sağlık Bakım Asansörleri - Kabinlerin Fonksiyonel Boyutları Class 3 Car Functional Dimensions						
Parametre / Parameter			Beyan Yüğü Kütle / Rated Load			
			1275 Kg	1600 Kg	2000 Kg	2500 Kg
Kabin / Car Height		Yükseklik	2300 Mm			
Kabin Ve Durak Kapısı / Door Height		Yükseklik	2100 Mm			
Kuyu Dibi Derinliği / Pit	0,63 m/s		1600 mm			1800 mm
	1,00 m/s		1700 mm			1900 mm
	1,60 m/s		1900 mm			2100 mm
	2,00 m/s		2100 mm			
	2,50 m/s		2500 mm			
Kuyu Üst Boşluğu / Headroom	0,63 m/s		4400 mm			4600 mm
	1,00 m/s		4400 mm			4600 mm
	1,60 m/s		4400 mm			4600 mm
	2,00 m/s		4400 mm			4600 mm
	2,50 m/s		5400 mm			5600 mm


Sınıf 1 Konut Asansörleri

Class 1 Residence Elevators

Girişler / Doors 700 mm

Kabin İç Yüksekliği / Car Height : 2200

Giriş Yüksekliği / Door Height : 2000





A Serisi / A Serie

Girişler / Doors 800 mm

Kabin İç Yüksekliği / Car Height : 2200

Giriş Yüksekliği / Door Height : 2100





B Serisi / B Serie

Girişler / Doors 900 mm

Kabin İç Yüksekliği / Car Height : 2200

Giriş Yüksekliği / Door Height : 2100



Notlar:



1. 2,5 m/s'ye kadar (2,5 m/s dahil) hızlara uygun asansörler.
2. A Serisi veya B Serisinin seçimi milli mevzuata veya pazar talebine göre yapılır.
3. Her iki Seri, A Serisi ve B Serisi engelli şartlarına uygundur ve  sembolünü taşır. Ancak 800 veya 900 mm'lik kapı seçimi milli mevzuatın konusudur.
4. Şekillerde karşı ağırlıklar gösterilmiş olmasına rağmen boyutlar tahrik sisteminden bağımsız olarak bütün asansörlere uygulanır.

Notes:

1. Elevators that are suitable with speed up to 2,5 m/s (inc. 2,5 m/s)
2. Choice of A Serie and B Serie is done considering national legislation and market demand.
3. A Serie and B Serie are suitable for disabled conditions and have  symbol. But the choice of 800 and 900 mm doors is the meter of national legislation.
4. Although counterweights are shown on drawings, dimensions are implemented on all elevators freely from drive system.

Sınıf 2 Genel Amaçlı Asansörler

Class 2 Elevators For General Use



A Serisi / A Serie

Girişler / Doors 800 mm

Kabin İç Yüksekliği / Car Height : 2200




Giriş Yüksekliği / Door Height : 2100

B Serisi / B Serie

Girişler / Doors 900 mm

Kabin İç Yüksekliği / Car Height : 2200

Giriş Yüksekliği / Door Height : 2100





C Serisi / C Serie

Girişler / Doors 1100 mm

Kabin İç Yüksekliği / Car Height : 2300

Giriş Yüksekliği / Door Height : 2100



Notlar:

1. 2,5 m/s'ye kadar (2,5 m/s dahil) hızlara uygun asansörler (daha yüksek hızlar kullanılırsa kuyu genişliği ve derinliğine 100 mm eklenmelidir).
2. A Serisi, B Serisi ve C Serisinin seçimi milli mevzuata veya pazar taleplerine göre yapılır.
3. A Serisi, B Serisi ve C Serisi engelli şartlarına uygundur ve  sembolünü taşır. Ancak 800 veya 900 mm'lik kapı seçimi milli mevzuatın konusudur.
4.  Sembolü ile işaretlenmiş asansörler tekerlekli sandalye için tam hareket serbestliği sağlarlar (tam hareket serbestliğinin asgari şart olduğu ülkeler için).



Notes:

1. Elevators suitable with speed up to 2,5 m/s (inc. 2,5 m/s) (If they are used with more speed, it is needed to add 100 mm more on shaft width and depth).
2. Choice of A Serie, B Serie and C Serie is done considering national legislation and market demand.
3. A Serie and B Serie are suitable for disabled conditions and have  symbol. But the choice of 800 and 900 mm doors is the matter of national legislation.
4. Elevators with  symbol provide full play inside cabin for disabled chair. (For countries they have minimum requirement for full play).

Sınıf 3 Sağlık-Bakım Asansörleri

Class 3 Health-Care Elevators

Kabin İç Yüksekliği / Car Height : 2400
Giriş Yüksekliği / Door Height : 2100



Notlar:


1. Bu asansörler daha büyük kuyu ölçülerine sahip olduklarından 2,5 m/s' den 6,0 m/s' ye kadar (6,0 m/s dahil) hızlara uygundur.
2.  sembolü ile işaretlenmiş asansörler tekerlekli sandalye için tam hareket serbestliği sağlar (tam hareket serbestliğinin asgari şart olduğu ülkeler için).

Notes:

1. As those elevators have bigger shaft sizes, they are suitable for the speed from 2.5 m/s to 6.0 m/s (incl. 6.0 m/s).
2. Elevators with  symbol provide full play inside cabin for disabled chair. (For countries that have minimum requirement for full play).

Sınıf 3 Sağlık-Bakım Asansörleri

Class 3 Health-Care Elevators



Notlar:

1. 2,5 m/s' ye kadar (2,5 m/s dahil) hızlara uygun asansörler.
 2.  sembolü ile işaretlenmiş asansörler tekerlekli sandalye için tam hareket serbestliği sağlar. (tam hareket serbestliğinin asgari olduğu ülkeler için).
 3. Şekillerde karşı ağırlıkların gösterilmiş olmasına rağmen boyutlar tahrik sistemin-den bağımsız olarak bütün asansörlere uygulanır.
- | | | |
|----|-----------------|---------------------------------------|
| a) | Yatak Boyutları | 900 mm x 2000 mm |
| b) | Yatak Boyutları | 1000 mm x 2300 mm |
| c) | Yatak Boyutları | 1000 mm x 2300 mm, ilave cihazlar ile |

Notes:

1. Elevators suitable with the speed up to 2,5 m/s (incl. 2,5 m/s).
 2. Elevators with  symbol provide full play inside cabin for disabled chair. (For countries that have minimum requirement for full play)
 3. Although counterweight are shown on images, size are implemented on all elevators freely from the system.
- | | | |
|----|------------|---|
| a) | Bed Sizes: | 900 mm*2000 mm |
| b) | Bed Sizes: | 1000 mm*2300 mm |
| c) | Bed Sizes: | 1000 mm*2300 mm, with additional devices. |

Notlar*Notes*

We are trying to move the world more higher



www.yukselisasansor.com.tr



Türkçe



English



Русский



العربية



İstanbul Yolu 25. Km. Aksoy Caddesi Yükseliş Sokak No:12 Saray - Kahramankazan / Ankara - TÜRKİYE
Tel: +90 312 815 52 05 (pbx)